

# Warmline EPS

## Polystyrene Bonded to Plasterboard

The Warmline insulated plasterboards are designed as a simple and effective way to improve the thermal efficiency in both walls and roof dwelling applications. They are full applicable with Part L of thebuilding regulations.






### **Expanded Polystyrene Bonded to Plasterboard Benefits**

- All thicknesses readily available
- Simple solution to upgrading walls and roofs
- Quick and easy to install
- Can be used for both newbuild and refurb
- A simple way to meet building regulations
- Cost effective return

## **Technical Specifications**

Product Code	Product Size	m2 Per Board	Description	Overall Thickness	Foam Thickness	Plasterboard Thickness	Boards Per Pallet	Thermal Conductivity (W/mK)	Thermal Resistance (m2k/W)
U/WLE22	1200x2400	2.88	Expanded Polystyrene	22mm	12.5mm	9.5mm	80	0.038	0.37
U/WLE30	1200x2400	2.88		30mm	20.5mm	9.5mm	66	0.038	0.58
U/WLE40	1200x2400	2.88	Bonded to	40mm	30.5mm	9.5mm	50	0.038	0.84
U/WLE50	1200x2400	2.88	Plasterboard	50mm	40.5mm	9.5mm	40	0.038	1.1




#### Fixing instructions for Dot and dab

- For bonding Warmline range to a wall use a proprietary gypsum based adhesive.
- Please follow the manufacturers instructions. As per manufacturers recommendations apply a continuous ribbon of adhesive around any openings.
- Apply 3 vertical rows of adhesive dabs to the walls at 300mm centres. Also insure that there is a continuous bead at the bottom and top.
- After the adhesive has set fix a minimum of 2 insulation anchors through the board into the wall. They must go into the masonry by a minimum of 30mm.

#### Fixing instructions for mechanical fixing

- Fix to the wall treated batons 50mm x 25mm at a maximum of 600mm centres. Also fit horizontal batons at both floor and ceiling level.
- Then fit the Warmline board using drywall screws at 150mm centres. Always insure that they penetrate the batons by 25mm.
- When installing boards to rafters fix them at right angles to the timbers. To ensure a solid finish bridging pieces are to used inbetween the rafters.





## Insulated Plasterboard Manufacturers & Distributors

For more details you can contact our technical teams:

Unit 3, Broadfield Business Centre Off Pilsworth Road, Heywood, Manchester, OL10 2TA Unit 24, Trade City Business Park, Cowley Mill Rd, Uxbridge UB8 2DB

Sales: **01706 629793** 

e-mail: sales@uvalueinsulations.co.uk

