



## Product Name

# Vario KB1 Single Sided Adhesive Tape

Our high adhesion, single sided adhesive tape for fixing overlapping membrane seams.

Part of the Vario range



## Vario KB1 Single Sided Adhesive Tape



### BENEFITS AND FEATURES


|                                  |   |
|----------------------------------|---|
| <b>THERMAL</b>                   | For renovation projects, especially loft spaces and roofs, Vario together with Glasswool insulation dramatically improves the thermal performance of an older building  |
| <b>FIRE</b>                      | Euroclass E (normally flammable) in accordance with DIN 13984.  |
| <b>MOISTURE</b>                  | As part of the Vario system - prevents mould and mildew growth by reducing the potential for moisture accumulation  |
| <b>ENVIRONMENTAL CREDENTIALS</b> | Vario automatically adapts to long heating and short drying periods, unlike conventional membranes that behave the same way in all conditions. Vario protects the inside of the building against toxic gases - particularly important when converting the attics of older buildings into living space |
| <b>TEMPERATURE</b>               | ( - 40°C to + 80°C.)  |
| <b>WATER VAPOUR DIFFUSION</b>    | Approx. 70 g/m <sup>2</sup> d to 1.2 g/m <sup>2</sup> d in accordance with EN 12572.  |

### STANDARDS & CERTIFICATION

|                          |   |
|--------------------------|---|
| <b>QUALITY</b>           | We hold a Quality Management Standard BS EN ISO 9001: 2008 for manufacturing.   |
| <b>CE</b>                | All products are manufactured in accordance with the CE marking requirements under the Construction Products Regulation,  |
| <b>PRODUCT STANDARDS</b> | All our products are manufactured in accordance with product standard: BS EN 13162: 2008 and BS EN 13172 Evaluation of Conformity.  |
| <b>ENVIRONMENT</b>       | ISOVER is an ISO 14001:2004 (Environmental Management System) accredited manufacturing facility. This accreditation ensures that all products are manufactured to the stringent standards set out by this management system. EN ISO 13162 EMS 551706 003 BS EN ISO 9001: 2000 |



## Vario KB1 Single Sided Adhesive Tape Application



### Masonry

#### Dry Lining

#### Single Brick Construction

- 1 215 mm brick
- 2 13mm Gyproc Plaster
- 3 Optima metal studs + fixings
- 4 ISOVER insulation
- 5 Vario membrane + KB1 adhesive tape
- 6 Gyproc WallBoard

For more applications and product details, please visit [www.isover.ie](http://www.isover.ie)

ISOVER Ireland  
Unit 4, Kilcarbery Business Park,  
Nangor Rd., Dublin 22  
Tel: +353 (0) 1 629 8400  
Email: [info@isover.ie](mailto:info@isover.ie)  
Web: [www.isover.ie](http://www.isover.ie)

ISOVER Technical Team  
ROI Free Phone: 1800 744 480  
NI Phone: 0845 399 0159  
Email: [tech.ie@saint-gobain.com](mailto:tech.ie@saint-gobain.com)

